

# Hercuseal B.V.

P.O. Box 63, 4200 AB Gorinchem, Bedrijvenstraat 2, 4283 JH Giessen, The Netherlands  
Telephone +31 (0) 183-447333, Fax General +31 (0) 183-447344, E-Mail: [Info@hercuseal.nl](mailto:Info@hercuseal.nl)



## SAFETY DATA SHEET

### Hercuseal 2K Sealer 250 FC (A-Component)

Reference : MS 201  
Grade : S 250 A  
Date : 31-01-2007  
Replaces : NA

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name : Hercuseal 2K Sealer 250 FC (A-Component)  
Use of the product : 2K-Sealant for the building industry  
Supplier : See above  
Emergency phone number : +31 (0) 413-268716 if no answer +31 (0) 161-451909 (after working hours)

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization : MS-Polymer combination based mixture with plasticizers, inorganic fillers and additives.

<u>Hazardous ingredients <math>\geq 1\%</math> and toxic ingredients <math>&gt; 0.1\%</math></u>	<u>CAS Number</u>	<u>Einecs Number</u>	<u>Weight %</u>	<u>Danger Symbol</u>	<u>Risk Phrases</u>
Vinyltrimethoxysilane	2768-02-7	220-449-8	1-5	Xn	10-20
3-Aminopropyltriethoxysilane	919-30-2	213-048-4	1-5	C	22-34
Gamma-Aminopropyltrimethoxysilane	13822-56-5	237-511-5	1-5	Xi	36
Bis-(1.2.2.6.6-pentamethyl-4-piperidyl)sebacate	41556-26-7	255-437-1	0,1-1	Xi, N	43-50-53

#### 3. HAZARDS IDENTIFICATION

Potential health effects : Contains Bis-(1.2.2.6.6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.

#### 4. FIRST AID MEASURES

Eyes : In case of contact flush eyes immediately with plenty of water for at least 15 minutes.  
Lift eyelids and rinse well underneath them. Get medical attention if irritation persists.  
Mouth (ingestion) : Rinse mouth with water several times. Consult a physician and show this Safety Data Sheet.  
Lungs (inhalation) : Fresh air and rest. Get medical attention if complaint persists.  
Skin : Remove completely with a dry cloth or paper towel, before washing with detergent and water.  
Get medical attention if irritation persists.  
Clothes : Remove polluted clothing.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : CO<sub>2</sub>, powder, foam and water spray.  
Unsuitable extinguishing media : Unknown.  
Special fire fighting procedures : Wear protective clothing and breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Keep away from drains and watercourses.  
Clean up procedures : Wipe, scrape or soak up in inert material and put in a container for disposal.  
Personal precautions : Wear proper protective equipment as described in the 'eye and skin protection' section of chapter 8.

#### 7. HANDLING AND STORAGE

Handling : Handle in well-ventilated area. Avoid contact with skin, eyes and do not swallow.  
Storage : Store in closed packing between 5°C and 25°C away from direct sunlight and other sources of heat.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit : Unknown.  
Respiratory protection : Avoid breathing the vapour. Maintain good ventilation.  
Eye and skin protection : Avoid contact with skin and eyes. Wear safety glasses.  
Industrial hygiene : When using do not eat, drink or smoke. Wash hands after work and before breaks.  
Don't rub eyes with dirty hands.

# Hercuseal 2K Sealer 250 FC (A-Component)

Grade: S 250 A

## SAFETY DATA SHEET

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: paste	Flash point	: Unk.	°C
Colour	: white	Lower explosion limit	: Unk.	vol-%
Odour	: weak	Upper explosion limit	: Unk.	vol-%
Density (water=1)	: 1,42 g/ml	Ignition temperature	: Unk.	°C
pH (water=7)	: Unk.	Vapour pressure	: Unk.	mbar
Boiling point (water =100)	: Unk.	Mixable with water	: no	
Freezing point (water = 0)	: Unk.	Mixable with organic solvents	: partly	
		VOC-content	: 0	Weight-%

### 10. STABILITY AND REACTIVITY

Hazardous decomposition products	: In case of fire CO, CO <sub>2</sub> and CaO are emitted.
Materials to avoid	: Unknown.
Conditions to avoid	: Unknown.

### 11. TOXICOLOGICAL INFORMATION

<b>Product information</b>	<b><u>Vinyltrimethoxysilane</u></b>
Acute oral LD50 (mg/kg)	: 11300 (rat)
Acute dermal LD50 (mg/kg)	: 3540 (rabbit)
Acute inhalation LC50 (mg/l)	: Unknown

Other information: Unknown.

For information on hazardous substances see 'chapter' 2.

### 12. ECOLOGICAL INFORMATION

Avoid uncured product will come in the environment.

Degradability	: Unknown.
Ecotoxicity	: Unknown.
WGK (Germany)	: 1

### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local legislation.

Waste code uncured (Germany)	: 080402
Waste code cured (Germany)	: 080404

### 14. TRANSPORT INFORMATION

By sea according IMDG-Code	: Not applicable.
By land according ADR	: Not applicable.
By air according ICAO/IATA-DGR	: Not applicable.
UN-number	: Not applicable.
Proper shipping name	: Not applicable.

### 15. REGULATORY INFORMATION

To the labelling requirements of EC Directives 67/548/EC and 1999/45/EC:

Danger symbol	: Not applicable.
Contains	: Contains Bis-(1.2.2.6.6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.
R-phrases	: Not applicable.
S-phrases	: Not applicable.
For professional user	: Safety Data Sheet available for professional user on request.

### 16. OTHER INFORMATION

This product safety data sheet conforms to EC Directive 91/155/EEC as well as its amendments including 2001/58/EC. This data is offered in good faith as typical values and not as product specifications. No warranty either expressed or implied, is hereby made. The recommended industrial and safe handling procedures are believed to be generally applicable, each user should review the recommendations in the specific context of the intended use and determine whether they are appropriate.

NA	: Not Applicable
Unk	: Unknown

# Hercuseal B.V.

P.O. Box 63, 4200 AB Gorinchem, Bedrijvenstraat 2, 4283 JH Giessen, The Netherlands  
Telephone +31 (0) 183-447333, Fax General +31 (0) 183-447344, E-Mail: [Info@hercuseal.nl](mailto:Info@hercuseal.nl)



## SAFETY DATA SHEET

### Hercuseal 2K Sealer 250 FC (B-Component)

Reference : MS 251  
Grade : S 250 B  
Date : 31-01-2007  
Replaces : NA

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name : Hercuseal 2K Sealer 250 FC (B-Component)  
Use of the product : 2K-Sealant for the building industry  
Supplier : See above  
Emergency phone number : +31 (0) 413-268716 if no answer +31 (0) 161-451909 (after working hours)

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization : Curing agent based on special polymers, plasticizers, inorganic fillers and additives.

<u>Hazardous ingredients <math>\geq 1\%</math> and toxic ingredients <math>&gt; 0.1\%</math></u>	:	<u>CAS Number</u>	<u>Einecs Number</u>	<u>Weight %</u>	<u>Danger Symbol</u>	<u>Risk Phrases</u>
--	---	-----------------------	--------------------------	---------------------	--------------------------	-------------------------

Not applicable.

#### 3. HAZARDS IDENTIFICATION

Potential health effects : Unknown.

#### 4. FIRST AID MEASURES

Eyes : In case of contact flush eyes immediately with plenty of water for at least 15 minutes.  
Lift eyelids and rinse well underneath them. Get medical attention if irritation persists.  
Mouth (ingestion) : Rinse mouth with water several times. Consult a physician and show this Safety Data Sheet.  
Lungs (inhalation) : Fresh air and rest. Get medical attention if complaint persists.  
Skin : Remove completely with a dry cloth or paper towel, before washing with detergent and water.  
Get medical attention if irritation persists.  
Clothes : Remove polluted clothing.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : CO<sub>2</sub>, powder, foam and water spray.  
Unsuitable extinguishing media : Unknown.  
Special fire fighting procedures : Wear protective clothing and breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions : Keep away from drains and watercourses.  
Clean up procedures : Wipe, scrape or soak up in inert material and put in a container for disposal.  
Personal precautions : Wear proper protective equipment as described in the 'eye and skin protection' section of chapter 8.

#### 7. HANDLING AND STORAGE

Handling : Handle in well-ventilated area. Avoid contact with skin, eyes and do not swallow.  
Storage : Store in closed packing between 5°C and 25°C away from direct sunlight and other sources of heat.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit : Unknown.  
Respiratory protection : Avoid breathing the vapour. Maintain good ventilation.  
Eye and skin protection : Avoid contact with skin and eyes. Wear safety glasses.  
Industrial hygiene : When using do not eat, drink or smoke. Wash hands after work and before breaks.  
Don't rub eyes with dirty hands.

# Hercuseal 2K Sealer 250 FC (B-Component)

Grade: S 250 B

## SAFETY DATA SHEET

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: paste	Flash point	: Unk.	°C
Colour	: dark grey	Lower explosion limit	: Unk.	vol-%
Odour	: weak	Upper explosion limit	: Unk.	vol-%
Density (water=1)	: 1,39 g/ml	Ignition temperature	: Unk.	°C
pH (water=7)	: Unk.	Vapour pressure	: Unk.	mbar
Boiling point (water =100)	: Unk. °C	Mixable with water	: no	
Freezing point (water = 0)	: Unk. °C	Mixable with organic solvents	: partly	
		VOC-content	: 0	Weight-%

### 10. STABILITY AND REACTIVITY

Hazardous decomposition products	: In case of fire CO, CO <sub>2</sub> and CaO are emitted.
Materials to avoid	: Unknown.
Conditions to avoid	: Unknown.

### 11. TOXICOLOGICAL INFORMATION

#### Product information

Acute oral LD50 (mg/kg)	: unknown.
Acute dermal LD50 (mg/kg)	: unknown.
Acute inhalation LC50 (mg/l)	: unknown.

Other information: Unknown.

For information on hazardous substances see 'chapter' 2.

### 12. ECOLOGICAL INFORMATION

Avoid uncured product will come in the environment.

Degradability	: Unknown.
Ecotoxicity	: Unknown.
WGK (Germany)	: 1

### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local legislation.

Waste code uncured (Germany)	: 080402
Waste code cured (Germany)	: 080404

### 14. TRANSPORT INFORMATION

By sea according IMDG-Code	: Not applicable.
By land according ADR	: Not applicable.
By air according ICAO/IATA-DGR	: Not applicable.
UN-number	: Not applicable.
Proper shipping name	: Not applicable.

### 15. REGULATORY INFORMATION

To the labelling requirements of EC Directives 67/548/EC and 1999/45/EC:

Danger symbol	: Not applicable.
Contains	: Not applicable.
R-phrases	: Not applicable.
S-phrases	: Not applicable.
For professional user	: Not applicable.

### 16. OTHER INFORMATION

This product safety data sheet conforms to EC Directive 91/155/EEC as well as its amendments including 2001/58/EC. This data is offered in good faith as typical values and not as product specifications. No warranty either expressed or implied, is hereby made. The recommended industrial and safe handling procedures are believed to be generally applicable, each user should review the recommendations in the specific context of the intended use and determine whether they are appropriate.

NA	: Not Applicable
Unk	: Unknown